


# Indoff

[www.ahutton.com](http://www.ahutton.com)

(860)632-2026

HSM Document Shredders



**HSM**<sup>®</sup>  
of America

## Quality and safety all down the line

### Safety

- Excellent operator safety
- 100% data security ensured by precise shredding of your confidential data in accordance with DIN 32757-1

### Service

- Our authorized dealers will be happy to advise you on your purchase
- Long-term after-sales support

### Quality

- Durable materials
- Innovative detailed solutions
- All parts manufactured with maximum precision
- HSM guarantee
- Made in Germany

### HS LEVEL 6 HS LEVEL VI

An example of the especially high performance of our shredders is the newly developed security level HS Level VI. This is the highest of all security levels and is yet to be certified in Germany and was originally developed for the US Department of Defense.



### Economy

- Environmentally friendly low energy consumption and recyclable materials
- Very good price/performance ratio
- Top quality ensures long service life

### Convenience


- All cutting device components optimally tuned to ensure very quiet running
- Modern, reliable, easy to operate with electronic switching
- Attractive design

### Performance

- High cutting performance with optimized cutting device technology
- Paper clip-resistant, specially hardened completely steel cutting rollers
- Low power consumption at high capacity with energy-saving drive

### V-TEK THE PATENTED V GROOVE

The cutting roller is a future-oriented innovation from HSM designed to create an absolutely reliable shredding technique.



### A heart of steel

The specially hardened, solid-steel rollers manufactured with great precision from one piece of steel are subject to practically no wear, can handle staples and paper clips and ensure a lasting, precise cut.

### A special mark of quality


HSM takes pride in quality – made in Germany. The quality you can be most sure of is the quality you produce yourself.

### Reliable personal safety

HSM document shredders fulfill all national and international safety regulations. In the small office or home office area the machines have been classed as being safe for children only 3 years of age (DIN EN 294).

### The special force

The optimum alignment of all cutting device components guarantees trouble-free running, saves valuable energy and reduces wear. All HSM motors are thermally protected against overheating - even during prolonged use. Please note these special performance features of HSM.



### HS Level VI

This is the new maximum security feature developed by HSM – especially for shredding top secret documents

### Cross cut

1 x 5 mm =  $\frac{1}{32}$ " x  $\frac{3}{16}$ "

### SECURITY LEVEL 5

For secret documents where extraordinary security requirements must be adhered to, such as government offices or important research

### Cross cut

0.78 x 11 mm =  $\frac{31}{128}$ " x  $\frac{7}{16}$ "

### SECURITY LEVEL 4

When the confidentiality of documents is important for a company's existence

### Cross cut

1.9 x 15 mm =  $\frac{1}{16}$ " x  $\frac{5}{8}$ "  
2 x 15 mm =  $\frac{1}{8}$ " x  $\frac{5}{8}$ "

### SECURITY LEVEL 3

For confidential documents e.g. personal data and documents

### Strip cut

1.9 mm =  $\frac{1}{16}$ "

### Cross cut

3.9 x 30 - 50 mm =  $\frac{3}{8}$ " x 1 $\frac{1}{8}$ " - 2"  
5.8 x 50 mm =  $\frac{1}{2}$ " x 2"  
4.5 x 40 - 70 mm =  $\frac{3}{16}$ " x 1 $\frac{1}{2}$ " - 2 $\frac{3}{4}$ "  
4 x 25 mm =  $\frac{5}{32}$ " x 1"  
6 x 40 - 53 mm =  $\frac{1}{4}$ " x 1 $\frac{1}{2}$ " - 2"

### SECURITY LEVEL 2

For internal documents that need to be rendered illegible such as computer lists or bad copies

### Strip cut

3.9 / 5.8 mm =  $\frac{3}{8}$ " ,  $\frac{1}{4}$ "

### Cross cut

7.5 x 40 - 80 mm =  $\frac{3}{8}$ " x 1 $\frac{1}{2}$ " - 3 $\frac{3}{8}$ "  
10.5 x 40 - 80 mm =  $\frac{3}{8}$ " x 1 $\frac{1}{2}$ " - 3 $\frac{3}{8}$ "

### SECURITY LEVEL 1

For general documents that are to be rendered illegible after expiry

### Strip cut

10.5 / 11.8 mm =  $\frac{3}{8}$ " ,  $\frac{1}{2}$ "

# HSM Document Shredders – The Family

## HSM COMPACT

With a cutting performance of up to 18 sheets per cycle and security levels 2 – 3, COMPACT devices are ideal for shredding confidential papers and documents in small offices or at home. Placed immediately next to or under the desk, it can be loaded easily and starts its invaluable work automatically.

This series is characterized by the following technical features:

- Automatic start/stop control
- Stand-by operation without power consumption
- Working width 8.9" (DIN A4)
- Rocker switch for on/off and reverse
- Hardened solid steel cutting rollers, can handle staples and paper clips
- Powerful drive for high performance – motor protected with thermal fuse
- Runs quietly
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life



**Indoff**  
[www.ahutton.com](http://www.ahutton.com)  
 (860)632-2026



	HSM 70.2	HSM 80.2	HSM 90.2	HSM 102.2	HSM 104.3					
Cutting Type	Strip Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	
Cutting width (inches)	1/8	1/8	5/32 x 1	1/8	5/32 x 1	1/8 / 1/16	5/32 x 1	1/8 / 1/16	1/8 x 1 1/8 / 1/16 x 5/8	
Security level DIN 32757-1*	2/2	2/2	3	2/2	3	2/2/3	3	2/2/3	3/4	
Cutting capacity per run in sheets**	7/5	10 - 12 / 7 - 8	5	15/12	6	16 - 18 / 13 - 15 8 - 9	6 - 7	22 - 24 / 16 - 18 12 - 14	12 - 14 / 9 - 11	22 -
Cutting speed (ft./min.)	16	16	16	12	12	12	12	16	16	
Throat Opening (inches)	8.9	8.9	8.9	8.9	8.9	8.9	8.9	9.5	9.5	
Power at max. sheet number (Watt)	80	120	120	150	150	150	150	295	295	
Voltage (V/Hz)	115/60	115/60	115/60	115/60	115/60	115/60	115/60	115/60	115/60	
Dimensions W x D x H (inches)	11.7 x 7 x 15.1	12 x 7.8 x 16.1	12 x 7.8 x 16.1	12.8 x 9.4 x 16.6	12.8 x 9.4 x 16.6	14.3 x 10.7 x 19.7	14.3 x 10.7 x 19.7	14.7 x 11 x 23	14.7 x 11 x 23	14
Weight (lbs.)	4	8	8	9	10	13	14	25	28	
Container / Collection volume (gal.)	3.17	3.86	3.86	5.67	5.67	5.67	5.67	7.49	7.49	

\*HS Level VI is not certified according to DIN 32757-1. \*\*per run DIN A4, 70g/m<sup>2</sup>

All technical specifications are approximate values. Technical and design n

# HSM OFFICE

Can be used as a high-performance unit under the desk or a central device for larger offices. With a cutting power of up to 42 sheets per cutting cycle, to maximum security level of HS Level VI, our larger OFFICE devices can even shred CD-ROMs with ease.

This series is characterized by the following technical features:

- Automatic start/stop control
- Hardened solid steel cutting rollers, can handle staples and paper clips
- Powerful drive for high performance, even when used for long periods – thermally protected motor
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life
- Closed housing protects against paper dust
- Rocker switch for on/off and reverse

- HSM 386.2 PROFESSIONAL
- HSM 390.2 PROFESSIONAL
- HSM 411.2 PROFESSIONAL
- HSM 412.2 PROFESSIONAL
- HSM 450.2 PROFESSIONAL



**Indoff**  
[www.ahutton.com](http://www.ahutton.com)  
 (860)632-2026

HSM 105.3		HSM 108.2		HSM 125.2		HSM 225.2		HSM 386.2		HSM 390.2	
Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut
$\frac{1}{4} / \frac{1}{8} / \frac{1}{16}$	$\frac{1}{8} \times 1 \frac{1}{8} / \frac{1}{16} \times \frac{5}{8} / \frac{1}{32} \times \frac{7}{16}$	$\frac{1}{4} / \frac{1}{8}$	$\frac{1}{8} \times 1 \frac{1}{8} / \frac{1}{16} \times \frac{5}{8}$	$\frac{1}{4} / \frac{1}{8} / \frac{1}{16}$	$\frac{1}{8} \times 1 \frac{1}{8} / \frac{1}{16} \times \frac{5}{8} / \frac{1}{32} \times \frac{7}{16} / \frac{1}{32} \times \frac{9}{16}$	$\frac{1}{4} / \frac{1}{8}$	$\frac{1}{8} \times 1 \frac{1}{2} / \frac{1}{16} \times \frac{5}{8} / \frac{1}{32} \times \frac{7}{16} / \frac{1}{32} \times \frac{9}{16}$	$\frac{1}{8}$	$\frac{1}{8} \times 1 \frac{1}{8} / \frac{1}{16} \times \frac{5}{8}$	$\frac{1}{4} / \frac{1}{8}$	$\frac{1}{8} \times 1 \frac{1}{2} / \frac{1}{16} \times \frac{5}{8} / \frac{1}{32} \times \frac{7}{16} / \frac{1}{32} \times \frac{9}{16}$
2 / 2 / 3	3 / 4 / 5	2 / 2	3 / 4	2 / 2 / 3	3 / 4 / 5 / HS Level VI	2 / 2	3 / 4 / 5 / HS Level VI	2	3 / 4	2 / 2	3 / 4 / 5 / HS Level VI
24 / 16 - 18 12 - 14	12 - 14 / 9 - 11 5 - 6	22 - 24 / 16 - 18	12 - 14 / 9 - 11	28 - 30 / 23 - 25 17 - 19	16 - 18 / 12 - 14 7 - 8 / 4 - 5	40 - 42 / 31 - 33	25 - 27 / 17 - 19 10 - 11 / 7 - 8	24	16 - 18 / 12 - 14	40 - 42 / 31 - 33	25 - 27 / 17 - 19 10 - 11 / 7 - 8
16	18	16	16	24	26	25	27	24	26	25	27
9.5	9.5	9.5	9.5	10	10	11.8	11.8	15.2	15.2	15.8	15.8
295	295	295	295	670	670	1400	1400	670	670	1400	1400
115/60	115/60	115/60	115/60	115/60	115/60	115/60	115/60	115/60	115/60	115/60	115/60
.7 x 11 x 23	14.7 x 11 x 23	15.8 x 10.7 x 28.6	15.8 x 10.7 x 28.6	17.6 x 13.6 x 32.6	17.6 x 13.6 x 32.6	19.7 x 16.5 x 35.2	19.7 x 16.5 x 35.2	21.5 x 16.2 x 33.8	21.5 x 16.2 x 33.8	23.4 x 18.5 x 35.7	23.4 x 18.5 x 35.7
25	28	42	44	57	66	93	99 / 99 / 106 / 106	73	77	112	123 / 123 / 132
7.49	7.49	10.89	10.89	17.25	17.25	23.83	23.83	26.33	26.33	33.59	33.59

modifications reserved.

## HSM PROFESSIONAL

The PROFESSIONAL series will fit in with your high-performance and large-volume devices in complete computer departments and offices of wall-to-wall tables. They can handle sensitive material on paper, computer lists and even credit cards and customer cards. From model HSM 390.2 upwards, CD-ROMs and discs can be destroyed with ease.

This series is characterized by the following technical features:

- Hardened solid steel cutting rollers, can handle staples and paper clips
- Powerful drive for high performance, even when used for long periods – motor protected with thermal fuse
- Quiet machine operation
- Modern electronic control
  - Especially convenient automatic start/stop control with photoelectric cell
  - Stand-by operation with LED
  - Especially suitable for computer lists
  - Mobile on castors

## HSM PREMIUM

The top-of-the-range HSM document shredders have been designed for large computer departments, archives, or as a central shredding point. With a capacity of up to 650 sheets per cycle, the HSM FA 500.2 can handle entire files of documents at the same time. Our two high-volume models can destroy CD-ROMs, disks or staples and paper clips without difficulty.

HSM FA 400.2 PREMIUM

HSM FA 490.1 PREMIUM

HSM FA 500.2 PREMIUM



**Indoff**  
[www.ahutton.com](http://www.ahutton.com)  
 (860)632-2026

HSM 411.2		HSM 412.2		HSM 450.2		HSM FA 400.2		HSM FA 490.1		HSM FA 500.2
Strip Cut	Cross Cut	Cross Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Cross Cut
$\frac{1}{4} / \frac{1}{8}$	$\frac{1}{8} \times 2 / \frac{1}{16} \times \frac{5}{8} / \frac{1}{32} \times \frac{1}{16} / \frac{1}{32} \times \frac{1}{16}$	$\frac{1}{8} \times 2$	$\frac{1}{8} \times 2 / \frac{1}{16} \times \frac{5}{8}$	$\frac{1}{2} / \frac{1}{4}$	$\frac{1}{4} \times 2$	$\frac{3}{8} / \frac{1}{4}$	$\frac{3}{8} \times 1\frac{1}{2} - 3\frac{5}{32} / \frac{9}{32} \times 1\frac{1}{2} - 3\frac{5}{32} / \frac{3}{8} \times 1\frac{1}{2} - 2\frac{1}{4}$	$\frac{3}{8} \times 1\frac{1}{2} - 3\frac{5}{32} / \frac{9}{32} \times 1\frac{1}{2} - 3\frac{5}{32} / \frac{1}{4} \times 1\frac{1}{2} - 2$		
2 / 2	3 / 4 / 5 / HS Level VI	3	3 / 4	1 / 2	3	1 / 2	2 / 2 / 3	2 / 2 / 3		
65 - 67 / 48 - 50	38 - 40 / 26 - 28 / 17 - 19 / 9 - 10	38 - 40	80 - 85 / 35 - 40	180 / 130	120	230 - 250 / 160 - 180	420 - 440 / 300 - 320 / 200 - 220	600 - 650 / 500 - 550 / 400 - 450		
20	24	22	43 / 62	68	70	46	49	42		
15.8	15.8	15.8	17.4	16.9	16.9	19.7	19.7	16.7		
2100	2100	2100	3.0 / 2.2 kW	4 kW	4 kW (idle running)	2 x 3.0 kW	2 x 3.0 kW	9.2 kW		
115/60	115/60	115/60	208/60	208/60	208/60	3 x 208/60	3 x 208/60	3 x 208/60		
23.4 x 18.5 x 39	23.4 x 18.5 x 39	23.4 x 18.5 x 50.2	29.5 x 26.1 x 62.6	45.5 x 61.7 x 65	45.5 x 61.7 x 65	45.6 x 67 x 53	45.6 x 67 x 53	45.5 x 98.8 x 55.5		
163	181	192	485	937	937	1323	1323	1598		
33.14	33.14	33.14	65.83	104 (optional 2 x 52)	104 (optional 2 x 52)					



**HSM of America**  
1075 Andrew Drive  
Suite C  
West Chester, PA 19380

*Indoff*  
[www.ahutton.com](http://www.ahutton.com)  
**(860)632-2026**

**HSM**<sup>®</sup>  
of America